数学与系统科学研究院 计算数学所学术报告

<u>报告人</u>: Prof. Xue-Cheng Tai

(Department of Mathematics University of Norway, Norway)

报告题目:

Four color theorem for image segmentation - a new model and fast algorithms

<u>邀请人:</u> 陈志明 研究员

<u>报告时间</u>: 2014 年 7 月 17 日(周四) 下午 16:00-17:00

<u>报告地点</u>:数学院南楼二层 202 会议室

Abstract:

Image segmentation is an essential problem in imaging science. One of the most successful segmentation models is the piecewise constant Mumford-Shah minimization model. This minimization problem is however difficult to carry out, mainly due to the non-convexity of the energy. Recent advances based on convex relaxation methods are capable of estimating almost perfectly the geometry of the regions to be segmented when the mean intensity and the number of segmented regions are known a priori. The next important challenge is to provide a tight approximation of the optimal geometry, mean intensity and the number of regions simultaneously while keeping the computational time and memory usage reasonable. In this work, we propose a new algorithm that combines convex relaxation methods with the four color theorem to deal with the unsupervised segmentation problem. More precisely, the proposed algorithm can segment any a priori unknown number of regions with only four intensity functions and four indicator (labeling) functions. The number of regions in our segmentation model is decided by one parameter that controls the regularization strength of the geometry, i.e., the total length of the boundary of all the regions. The segmented image function can take as many constant values as needed.

We will present the detail about the new model as well the numerical techniques used to solve it. This talk is based on joint works with: Tony F. Chan, Xavier Bresson and Ruiliang Zhang.

欢迎大家参加!